





LED Lighting

Performance Range | 2016




LED Classic A	Product Number	Wattage (W)	Equivalent Wattage (W)	Luminous Flux (lm)	Luminous Intensity (cd)	CCT (K)	Beam Angle (°)	Product Weight (g)	Power Factor
	52336	9.5	60	810	85	2700	240	76	≥0.90
	52337	12	75	1060	120				
	52338	13.5	100	1520	205	3000	200	126	
	52339					4000			




Mirageball Classic A	Product Number	Wattage (W)	Equivalent Wattage (W)	Luminous Flux (lm)	Luminous Intensity (cd)	Beam Angle (°)	Power Factor
	52322	8.8	41	490	130	230	≥0.90




Dichroic LED PAR16	Product Number	Wattage (W)	Equivalent Wattage (W)	Luminous Flux (lm)	Useful Lumen 90° Cone (lm)	Luminous Efficacy (lm/W)	Luminous Intensity (cd)	Power Factor
	52504	4.0	38	300	250	75	480	≥0.47




Dichroic LED MR16	Product Number	Wattage (W)	Equivalent Wattage (W)	Luminous Flux (lm)	Useful Lumen 90° Cone (lm)	Luminous Efficacy (lm/W)	Luminous Intensity (cd)	Power Factor
	52503	3.7	25	300	250	81	480	≥0.70




LED MR16 GU5.3	Product Number	Wattage (W)	Equivalent Wattage (W)	Luminous Flux (lm)	Useful Lumen 90° Cone (lm)	Luminous Efficacy (lm/W)	Luminous Intensity (cd)	CCT (K)	Lifetime (hours)	Dimmable	Power Factor
	52316	5.5	38	420	400	76	1000	2700	40,000	Yes	≥0.90
	52317		40	450	430	82	1100	3000			
	52318	41	470	450	85	1170	4000	30,000	No		
	52321	8.0	52	690	660	86				1340	




LED PAR16 GU10	Product Number	Wattage (W)	Equivalent Wattage (W)	Luminous Flux (lm)	Useful Lumen 90° Cone (lm)	Luminous Efficacy (lm/W)	Luminous Intensity (cd)	CCT (K)	Lifetime (hours)	Dimmable	Energy Efficiency Class	Power Factor
	52323	4.0	44	320	300	80	740	2700	50,000	Yes	A++	≥0.65
	52324		47	340	320	85	770	3000				
	52312		57	420	400	70	1000	2700				
	52307	6.0	61	450	430	75	1100	3000	40,000	No	A+	≥0.70
	52308		64	470	450	78	1170	4000				
	52306		61	450	430	75	1100	3000				
	52314		64	470	450	78	1170	4000				
	52313	8.5	82	620	590	73	1180	2700	30,000	Yes	A+	≥0.70
	52310		86	650	620	76	1250	3000				
	52311		91	690	660	81	1340	4000				
	52309		86	650	620	76	1250	3000				
	52315		91	690	660	81	1340	4000				




LED AR111	Product Number	Wattage (W)	Equivalent Wattage (W)	Luminous Flux (lm)	Useful Lumen 90° Cone (lm)	Luminous Intensity (cd)	Beam Angle (°)	CCT (K)	Power Factor
	52329	10.5	85	700	680	6000	12	2700	≥0.90
	52330		88	720	700	6500		3000	
	52326		70	700	680	1700	2700		
	52327		72	720	700	1800	25	3000	
	52328		76	750	740	1900	4000		
	52331		70	700	680	1500	40	2700	
	52332		72	720	700	1600	3000		




LED T8 Tubes	Product Number	Wattage (W)	Luminous Flux (lm)	CCT (K)	Diameter (mm)	Length (mm)	Product Weight (g)
	52706	18	2200	3000	28	1212	270
	52707		2300	4000			
	52709	23	2800	3000		1513	350
	52710		2950	4000			



Downlight Fittings - for LED PAR16 GU10	Product Number	Tilting Angle (°)	Housing Colour	Protection Class
	52400	40	White	IP23
	52401	40	Brushed Aluminium	
	52402	-	White	IP44
	52403	-	Brushed Aluminium	



LED Electronic Transformer for 12V LED lamps	Product Number	Frequency (Hz)	Input Current (A)	Secondary Voltage (V)	Lamp Wattage (W)	Efficiency (%)	Power Factor	Input Capacitance (nF)	Dimming Type	Dimensions LxWxH (mm)
	52900	50/60	0.29	11.5VAC	Halogen: 0-70W LED lamp: 0-45W recommended	>95	>0.99	100	Leading and trailing edge dimmers	113 x 44 x 28

LEDsystem

LEDsystem Scandinavia har sedan 2007 arbetat med kvalitets-LED belysning. Verbatim LED och Valopaa distribueras av oss i Sverige sedan våren 2010. Sedan våren 2013 är vi distributörer av ENLIT. Vi har ett brett sortiment från retrofit till kompletta LED-armaturer. Välkommen till en ljusare värld! Har du någon fråga? Tveka inte att höra av dig!

Telefon: +46 46 270 12 12

E-mail: info@ledsystem.se

- EUROPE/ MIDDLE EAST/ AFRICA: Verbatim Ltd, Prestige House, 23- 26 High Street, Egham, Surrey, TW20 9DU, UK
- AMERICAS: USA Verbatim Americas LLC. Charlotte, NC
- AUSTRALIA/ NEW ZEALAND: Verbatim Australia Pty Ltd, Unit 6, 450 Princes Highway, Noble Park, Victoria, 3174 Australia
Tel: +61 3 9790 8999 Fax:+61 3 9790 8955 Email: support@verbatim.com.au

銷售公司：香港威寶有限公司

公司地址：香港九龍尖沙咀東部加連威老道92號
幸福中心1101-2室

銷售公司：威宝国际贸易(深圳)有限公司

公司地址：深圳市福田区泰然九路海松大厦B座1406室

台灣地區

委製商/進口商：台灣威寶國際貿易股份有限公司

公司地址：台北市基隆路二段166號4樓

聯絡電話：02-23771698

"VERBATIM" and  logo are trademarks, please refer to www.verbatim.com/trademarks